UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/537,699	06/06/2005	Daisuke Ogura	Q88299	8563
23373 SUGHRUE MI	7590 10/06/200 ON, PLLC	EXAMINER		
2100 PENNSYLVANIA AVENUE, N.W. SUITE 800 WASHINGTON, DC 20037			SOBUTKA, PHILIP	
			ART UNIT	PAPER NUMBER
			2618	
			MAIL DATE	DELIVERY MODE
			10/06/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)		
	10/537,699	OGURA, DAISUKE		
Office Action Summary	Examiner	Art Unit		
	PHILIP J. SOBUTKA	2618		
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the c	orrespondence address		
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING D. - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period of Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tin will apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).		
Status				
1) ☐ Responsive to communication(s) filed on 29 Ju 2a) ☐ This action is FINAL . 2b) ☐ This 3) ☐ Since this application is in condition for alloware closed in accordance with the practice under Expression in the condition of the condition	action is non-final. nce except for formal matters, pro			
Disposition of Claims				
4)	wn from consideration.			
Application Papers				
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) acc Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Example 11.	epted or b) objected to by the I drawing(s) be held in abeyance. See tion is required if the drawing(s) is obj	e 37 CFR 1.85(a). lected to. See 37 CFR 1.121(d).		
Priority under 35 U.S.C. § 119				
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 				
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal F 6) Other:	ate		

Art Unit: 2618

DETAILED ACTION

Drawings

- 1. The drawings are objected to because Figure 1 should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g). Corrected drawings in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.
- 2. Note that since the figure is described as the conventional system, it should be labeled as prior art, not merely "related" since this would cause confusion as to whether it was intended to show the instant invention.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

Art Unit: 2618

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

4. Claims 1, 2, 5, 6, 8,11-13, 16,17, 19, 20,23-26 are rejected under 35 U.S.C. 102(e) as being anticipated by Sayers et al (US 6,539,237).

Consider claim 1. Sayers teaches a method of controlling a mobile communications system which comprises a control plane controller (i.e the network level control systems shown as NSS in Figure 1) and a plurality of user plane controllers (shown as the base station systems, BSS in figure 1)comprising:

implementing the plurality of user control plane controllers separate from said plurality of control plane controllers (Note that Sayers network level control systems shown as NSS in Figure 1, which would correspond to the claimed control plane is separate from the plurality of user plane controllers shown as the base station systems, BSS in figure 1);

Page 4

logically subordinating each user plane controller to only one control plane controller (as shown in Sayers figure one, the user plane, i.e. base stations are subordinate to only one control plane, i.e. thee system level controller shown as NSS in figure 1); effecting transfer of status information between a user plane controller and a control plane controller other than the control plane controller to which the user plane controller is logically subordinate notwithstanding that the user plane controller is logically subordinate to another of said control plane controllers (note that the claim does not require to bypass the control plane controller to which the user plane is subordinate, therefore the claim does not distinguish over status information being coordinated to another control plane via the control plane to which it is subordinate, as is shown in Sayers, when a mobile terminal changes location from the network NSS to the private network shown in figure 1 as items 14, see also column 8, line 25 – column 9, line 25).

Consider claim 2. Sayers teaches the method of controlling a mobile communications according to claim 1,

further comprising physically separating said plurality of user plane controllers from said control plane controller (note that Sayers user and control planes, i.e the BSS and NSS planes are physically separated as shown in figure 1).

Consider claim 5. Sayers teaches the method of controlling a mobile communications system according to claim 1, further comprising, including with said status information alarm information detected in said plurality of user plane controllers

(note that Sayers teaches the information includes alarm information see for example column 5, lines 58-60).

Consider claim 6. Sayers teaches the method of controlling a mobile communications system according to claim 1, further comprising, reporting from said plurality of user plane control means controllers said status information to said control plane controller upon receipt of a request for transmitting said status information from said control plane controller (note that Sayers teaching includes handoff and authentication which includes transmission of service request and status info between the user and control planes).

Consider claim 8. Sayers teaches the method of controlling a mobile communications system according to claim 1, further comprising, reporting from said plurality of user plane controllers said status information to said control plane controller if a change is found in said status information (note that Sayers teaching includes handoff and authentication which includes transmission of service request and status info between the user and control planes).

Consider claim 11. Sayers teaches a method of controlling a mobile communications system which comprises a plurality of control plane controllers (i.e the network level control systems shown as NSS in Figure 1) and a user plane controller (shown as the base station systems, BSS in figure 1), comprising:

implementing said user plane controller separate from said plurality of control plane controllers (Note that Sayers network level control systems shown as NSS in

Figure 1, which would correspond to the claimed control plane is separate from the plurality of user plane controllers shown as the base station systems, BSS in figure 1);

logically subordinating said user plane controller to only one of said plurality of control plane controllers (as shown in Sayers figure one, the user plane, i.e. base stations are subordinate to only one control plane, i.e. thee system level controller shown as NSS in figure 1);

effecting transfer of status information between the user plane controller and a plurality of said control plane controllers notwithstanding that the user plane controller is logically subordinate to only one of said control plane controllers (note that the claim does not require to bypass the control plane controller to which the user plane is subordinate, therefore the claim does not distinguish over status information being coordinated to another control plane via the control plane to which it is subordinate, as is shown in Sayers, when a mobile terminal changes location to the private network shown in figure 1 as items 14, see also column 8, line 25 – column 9, line 25)

Consider claim 12. Sayers teaches a mobile communications system comprising: a plurality of control plane controllers (shown as the wireless network controller, NSS and private system controllers see for example figures 1 and 15);

a plurality of user plane controllers separate from said plurality of control plane controllers (Note that Sayers network level control systems shown as NSS in Figure 1, which would correspond to the claimed control plane is separate from the plurality of user plane controllers shown as the base station systems, BSS in figure 1);

wherein each user plane controller is logically subordinate to only one of said control plane controller (as shown in Sayers figure one, the user plane, i.e. base stations are subordinate to only one control plane, i.e. thee system level controller shown as NSS in figure 1); and

said mobile communication system further comprising: means for effecting transfer of status information between a user plane controller and any of said control plane controllers notwithstanding that each user plane controller is logically subordinate to only one of said control plane controllers (note that the claim does not require to bypass the control plane controller to which the user plane is subordinate, therefore the claim does not distinguish over status information being coordinated to another control plane via the control plane to which it is subordinate, as is shown in Sayers, when a mobile terminal changes location to the private network shown in figure 1 as items 14, see also column 8, line 25 – column 9, line 25).

Consider claim 13. Sayers teaches the mobile communications system according to claim 12, wherein said plurality of user plane controllers are physically separated from said control plane controller (note that Sayers user and control planes, i.e the BSS and NSS planes are physically separated as shown in figure 1).

Consider claim 16. Sayers teaches the mobile communications system according to claim 12, wherein said status information includes alarm information detected in said

plurality of user plane controllers. (Note that Sayers teaches the information includes alarm information see for example column 5, lines 58-60)

Consider claim 17. Sayers teaches the mobile communications system according to claim 12, wherein said plurality of user plane controllers further includes means for reporting said status information to said control plane controller upon receipt of a request for transmitting said status information from said control plane controller. (Note that Sayers teaching includes handoff and authentication which includes transmission of service request and status info between the user and control planes)

Consider claim 19. Sayers teaches the mobile communications system according to claim 12, wherein said plurality of user plane controllers further includes means for reporting said status information to said control plane controller if a change is found in said status information (note that Sayers teaching includes handoff and authentication which includes transmission of service request and status info between the user and control planes).

Consider claim 20. Sayers teaches the mobile communications system according to claim 12, further comprising: user equipment (Note that Sayers teaches user equipment, see figure 1).

Consider claim 23. Sayers teaches a mobile communications system comprising: a plurality of control plane controllers for storing status information in a memory (i.e the network level control systems shown as NSS in Figure 1); and a user plane controller for reporting status information of said user plane controller to said plurality of control

plane controllers (shown as the base station systems, BSS in figure 1, column 5, lines 1-22, 45-65)

wherein said user plane controller is logically subordinate only one of said control plane controllers (as shown in Sayers figure one, the user plane, i.e. base stations are subordinate to only one control plane, i.e. thee system level controller shown as NSS in figure 1); and

said mobile communication system further comprises: means for effecting transfer status information between the user plane controller and a plurality of said control plane controllers notwithstanding that the user plane controllers logically subordinate to only one of said control plane controllers (note that the claim does not require to bypass the control plane controller to which the user plane is subordinate, therefore the claim does not distinguish over status information being coordinated to another control plane via the control plane to which it is subordinate, as is shown in Sayers, when a mobile terminal changes location to the private network shown in figure 1 as items 14, see also column 8, line 25 – column 9, line 25).

Consider claim 24. Sayers teaches the mobile communications system according to claim 23, comprising: user equipment (shown as the base station systems, BSS in figure 1).

Consider claim 25. Sayers teaches the radio access network according to claim 14, including means for operating said control plane controller when user equipment

Art Unit: 2618

located in an area of a first radio base station having a radio link established between said first radio base station and a first user plane controller subordinate to said control plane controller moves to an area of a second radio base station, said second radio base station belonging to second user plane controller subordinate to another control plane controller, to refer to this other control plane controller for status information of said second user plane controller, and determining based on the status information of said second user plane controller that is received from this other control plane controller whether or not a radio link can be added at said second user plane controller (i.e. hand-off, see column 1, line 59 – column 2, line 12, column 5, lines 1-22, 45-65).

Consider claim 26. Sayers teaches the radio access network according to claim 25, wherein said control plane controller includes means for instructing said second user plane controller through said first user plane controller to add a radio link between said second user plane controller and said second radio base station when said control plane controller determines that a radio link can be added at said second user plane controller (see column 1, line 59 – column 2, line 12, column 5, lines 1-22, 45-65).

Claim Rejections - 35 USC § 103

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Art Unit: 2618

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

- 6. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).
- 7. Claims 4, 7, 15, 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sayers.

Consider claim 4. Sayers teaches the method of controlling a mobile communications system according to claim 1, but lacks a teaching of the method further comprising, including with said status information bandwidth information of a channel

directed to the outside from said plurality of user plane controllers. Note that Sayers teaches monitoring various performance aspects, as described in column 5, lines 50-56. Official notice is taken that bandwidth is a notoriously well known aspect of performance. Therefore it would have been obvious to one of ordinary skill in the art to also monitor bandwidth in order to provide a more complete picture of performance.

Consider claim 7. Sayers teaches the method of controlling a mobile communications system according to claim 1, but lacks a teaching of the method further comprising, reporting from said plurality of user plane controllers said status information to said control plane controller at a fixed period. Note that Sayers teaches monitoring various performance aspects, as described in column 5, lines 50-56. Official notice is taken that fixed period reporting of status is a notoriously well known in the art.

Therefore it would have been obvious to one of ordinary skill in the art to modify Sayers to report status at fixed times in order to ensure that performance was monitored at minimum times.

Consider claim 15. Sayers teaches the mobile communications system according to claim 12, but lacks a teaching of the method wherein said status information includes bandwidth information of a channel directed to the outside from said plurality of user plane controllers. Note that Sayers teaches monitoring various performance aspects, as described in column 5, lines 50-56. Official notice is taken that bandwidth is a

notoriously well known aspect of performance. Therefore it would have been obvious to one of ordinary skill in the art to also monitor bandwidth in order to provide a more complete picture of performance.

Consider claim 18. Sayers teaches the mobile communications system according to claim 12, but lacks a teaching of the method wherein said plurality of user plane controllers further includes means for reporting said status information to said control plane controller at a fixed period. Note that Sayers teaches monitoring various performance aspects, as described in column 5, lines 50-56. Official notice is taken that fixed period reporting of status is a notoriously well known in the art. Therefore it would have been obvious to one of ordinary skill in the art to modify Sayers to report status at fixed times in order that performance was monitored at minimum times.

Response to Amendment

8. Applicant's arguments filed November 10, 2008 have been fully considered but they are not persuasive.

The new limitations have been addressed in the newly formed rejections above

Conclusion

- 9. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
- 10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Philip J Sobutka whose telephone number is 571-272-7887. The examiner can normally be reached on Monday Friday, 8:30am 5:00pm.

Art Unit: 2618

11. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew D. Anderson can be reached on 571-272-4177.

12. The central fax phone number for the Office is 571-273-8300.

Most facsimile-transmitted patent application related correspondence is required to be sent to the Central FAX Number.

CENTRALIZED DELIVERY POLICY: For patent related correspondence, hand carry deliveries must be made to the Customer Service Window (now located at the Randolph Building, 401 Dulany Street, Alexandria, VA 22314), and facsimile transmissions must be sent to the Central FAX number, unless an exception applies. For example, if the examiner has rejected claims in a regular U.S. patent application, and the reply to the examiner's Office action is desired to be transmitted by facsimile rather than mailed, the reply must be sent to the Central FAX Number.

13. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Art Unit: 2618

/Philip J Sobutka/

Primary Examiner, Art Unit 2618

(571) 272-7887